



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 26 Sep 2005, 5:31:25 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((nondermatoglyphic, skin, nail, hair analysis)<in>metadata)
- #2 ((skin, nail, hair analysis)<in>metadata)
- #3 ((skin, nail, hair analysis, wrinkles)<in>metadata)
- #4 ((skin, nail, hair analysis, wrinkles)<in>metadata)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE –

Google [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)
woods lamp, An instrument used to analyze the [Search](#) [Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 65,700 for **woods lamp, An instrument used to analyze the health and condition of the skin**

Facials

This essential facial is suitable for all **skin** types and is tailored to ...

Woods Lamp. An instrument used to analyze the health and condition of the skin. ...

www.lumiere-spa.com/facials.htm - 33k - [Cached](#) - [Similar pages](#)

[PDF] Spa Salon

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A full body exfoliation and refinement of your **skin** ... **Woods Lamp. An instrument used to analyze the health and condition of the skin. ...**

www.lumiere-spa.com/PDF/PDF%20Brochure%2008-2004.pdf - [Similar pages](#)

Sponsored Links

Ultraviolet Woods Light

UV - For diagnosing disease and injuries to the **skin and eye**.
www.lightingspecialties.com

UV Color Camera Equipment

Reveals **skin** problems immediately
Double your retail product sales
www.edgesystem.net

Used Woods Lamp for sale

Huge selection of **used** products.
Save now on all products! affiliate
www.ebay.com

Ultraviolet radiation (EHC 160, 1994, 2nd edition)

1.5 **Health** Effects on Humans 1.5.1 **Skin** Acute effects on the **skin** consist ... The source of UV most commonly **used** for this purpose is the **Woods lamp** which ...

www.inchem.org/documents/ehc/ehc/ehc160.htm - 513k - [Cached](#) - [Similar pages](#)

[PDF] Lead in the Workplace (Safety Bulletin #CH061)

File Format: PDF/Adobe Acrobat

and **Health** (NIOSH) must be **used**. These methods are provided in the ... is in poor **condition**, these **instruments** may not read accurately. In ...

www3.gov.ab.ca/hre/whs/publications/pdf/ch061.pdf - [Similar pages](#)

NIOSH/Control of Health and Safety Hazards in Commercial ...

Instrument readings and actual concentrations were **used** to construct two calibration ... medical review of the **health and condition** of the respirator user. ...

www.cdc.gov/niosh/97-150.html - 290k - [Cached](#) - [Similar pages](#)

[PDF] Laboratory Procedure Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(6) If the selenium **lamp** is installed in the turret, the **instrument** will automatically recognize ... Two **instruments** were **used** during this 3-year period. ...

www.cdc.gov/nchs/data/nhanes/frequency/lab06_met_selenium.pdf - [Similar pages](#)

BONE - © Woods and Ellis 2000

Undecalcified sections of bone are **used** to distinguish between mineralised ... Bone trephine **instruments** (Fig. 11) are capable of producing samples ranging ...

home.primus.com.au/royellis/BONE.htm - 73k - [Cached](#) - [Similar pages](#)

[PDF] Preventive Measures against Environmental Mercury Pollution and ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Mercury halide cathode **lamp** or mercury **lamp**. **Instrument** set-up: Figure 5-1-a shows ... **Instruments** and equipment 1 6 are the same as those **used** in "2-3-(2) ...

www.nimdg.go.jp/english/image/manual.pdf - [Similar pages](#)

OSEL-Annual Report-2003

Determine potential risks from UV-emitting **lamps used** to disinfect air in public ... The main **instrument** that is **used** in the field compliance procedure for ...
www.fda.gov/cdrh/osel/annualreports/fy2003/ - 233k - [Cached](#) - [Similar pages](#)

Office of Science and Technology FY 2001 Annual Report

The impulsive-motion model just described was **used to analyze** data from 12 ... Until recently, no risk assessment of tanning **lamps for skin** cancer could be ...
www.fda.gov/cdrh/annual/fy2001/ost/ostfy01.html - 312k - [Cached](#) - [Similar pages](#)
[[More results from www.fda.gov](#)]

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**



Google Desktop Search 9:30 AM

Free! Instantly find your email, files, media and web history. [Download now.](#)

woods lamp, An instrument used to : Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google